AD	

Award Number: DAMD17-02-1-0514

TITLE: Identification of the Types, Properties, and Functional

Characteristics of Telomerase Expressing Cells in Breast

Cancer

PRINCIPAL INVESTIGATOR: William C. Hines

Jeffrey K. Griffith, Ph.D.

CONTRACTING ORGANIZATION: University of New Mexico

Health Science Center Albuquerque, NM 87131

REPORT DATE: May 2003

TYPE OF REPORT: Annual Summary

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20040706 023

REPORT

Form Approved OMB No. 074-0188

DOCUMENTATION PAGE

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE May 2003

3. REPORT TYPE AND DATES COVERED

Annual Summary (15 Apr 2002 - 14 Apr 2003)

4. TITLE AND SUBTITLE

Identification of the Types, Properties, and Functional Characteristics of Telomerase Expressing Cells in Breast | DAMD17-02-1-0514 Cancer

5. FUNDING NUMBERS

6. AUTHOR(S)

William C. Hines

Jeffrey K. Griffith, Ph.D.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

University of New Mexico Health Science Center Albuquerque, NM 87131

curthines@aol.com

8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

10. SPONSORING / MONITORING **AGENCY REPORT NUMBER**

11. SUPPLEMENTARY NOTES

Original contains color plate: ALL DTIC reproductions will be in black and white

12a, DISTRIBUTION / AVAILABILITY STATEMENT

Approved for Public Release; Distribution Unlimited

12b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 Words)

The aims of this study are to identify the types and properties of telomerase producing cells within breast tumors, and further, to isolate these cells from breast tumors so that their biochemical and functional properties may be characterized. Through examining the role of telomerase in cancer, this project also fosters the education of the candidate through the interaction with several experts in breast cancer pathology, epidemiology, biostatistics, and clinical and basic research. experiments involved require the interaction with professionals from several different fields of the biomedical sciences and the mastery of several challenging laboratory techniques. To date, all tasks; as outlined in the Statement of Work, are on schedule. The research is in progress.

14. SUBJECT TERM

Real-Time RT-PCR, Telomerase, hTERT, in-situ hybridization (ISH), Immunohistochemistry (IHC), Fluorescence activated cell sorting (FACS)

18. SECURITY CLASSIFICATION

15. NUMBER OF PAGES 10 16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

OF THIS PAGE Unclassified Unclassified 19. SECURITY CLASSIFICATION **OF ABSTRACT** Unclassified

20. LIMITATION OF ABSTRACT

Unlimited

Table of Contents

Cover1
SF 2982
Table of Contents3
Introduction4
Body4
Key Research Accomplishments4
Reportable Outcomes7
Conclusions
References
Appendices8

Abstract:

The aims of this study are to identify the types and properties of telomerase producing cells within breast tumors, and further, to isolate these cells from breast tumors so that their biochemical and functional properties may be characterized. Through examining the role of telomerase in cancer, this project also fosters the education of the candidate through the interaction with several experts in breast cancer pathology, epidemiology, biostatistics, and clinical and basic research. The experiments involved require the interaction with professionals from several different fields of the biomedical sciences and the mastery of several challenging laboratory techniques. To date, all tasks; as outlined in the Statement of Work, are on schedule. The research is in progress.

Hypothesis and Rationale

To understand the effects of hTERT on breast cancer cell immortalization and tumorigenesis, it is necessary to study telomerase expression at the level of the individual cell. The preliminary experiments and the evidence in the current literature suggest that:

1) the levels of hTERT expression vary within the cellular subpopulations of a tumor and/or 2) the fraction of cells expressing telomerase varies between tumors. Based on these considerations, *I hypothesize that breast cancer cells with the highest expression of hTERT will have the most aggressive phenotype*. I will evaluate this hypothesis by testing the predictions in two specific aims.

Specific Aim #1

To identify the types, numbers, and properties of breast tumor cells expressing hTERT, so as to define the variability in cellular expression of hTERT in human breast tumors.

Specific Aim #2

To characterize the biochemical and functional properties of breast tumor cells expressing elevated hTERT, so as to determine if these cells have the more aggressive phenotype that is correlated with a poor clinical outcome.

PERFORMANCE ACCOMPLISHMENTS

MAINEE RECOMMENDE	
im 1: (13 tasks)	
Month 1	Complete
Identification of a sample	breast tumor population consisting of low,
intermediate and high h	FRT mRNA expressing tumors.
intermediate, and ingirin	The mid the expressing some or
TTI Character	hand tiggin is in progress as approved by our
The acquisition of numar	breast tissue is in progress as approved by our
institution's Human Rese	earch and Review Committee (FIRRC)
	Complete
DNA/RNA has been extr	acted from newly selected breast tumors.
Month 1-6	Complete
Quantitative RT-PCR and	alysis of hTERT mRNA on newly selected breast
	ury 010 01 1112211 11221 1 1 1 1 1 1 1 1 1
tumors	
36 4 10 26	Not initiated
Cryosectioning of breast	tumors
	Complete
Optimize hTERT FISH a	assay
The attached figure (app	endix III) demonstrates typical ISH results:
a) In Situ Hybridiza	tion negative control
b) Anti FMA Immu	nohistochemistry labeling epithelial cells
a) Anti Vimentin In	nmunohistochemistry labeling fibroblasts
1 a) In City Hybridize	tion using fluorescein labeled hTERT probe (1.
a,e) in Situ Hybridiza	1 d
merged DAPI and	d fluorescein channel 2) flurescein channel only)
	- n
perform hTERT FISH as	ssay
Months 12-18	Not Successful
Optimize hTERT IHC as	ssay:
We have determined that	t the current commercial antibodies to telomerase did
not produce satisfactory	results for immunohistochemical detection within
from broast sections	TOSUITS FOI IMMENIORISCOMMENT WAS A STATE OF THE PARTY OF
nozen breast sections.	
34 4 10 19	I. Duo guess
	In Progress
Optimize cytokeratin-7	HC assay
	_
Months 12-18	In Progress
Optimize vimentin IHC	assay
•	
Months 12-18	In Progress
	im 1: (13 tasks) Month 1 Identification of a sample intermediate, and high hT The acquisition of human institution's Human Reservable. Month 1-6 DNA/RNA has been extra Month 1-6 Quantitative RT-PCR and tumors Month 12-36 Cryosectioning of breast Month 6-12 Optimize hTERT FISH at The attached figure (applea) In Situ Hybridizar b) Anti EMA Immu c) Anti Vimentin Indue) In Situ Hybridizar merged DAPI and Months 12-18 perform hTERT FISH as Months 12-18 Optimize hTERT IHC as We have determined that not produce satisfactory frozen breast sections. Months 12-18 Optimize cytokeratin-7 in Months 12-18 Optimize cytokeratin-7 in Months 12-18 Optimize vimentin IHC

- Optimize α-actin IHC assay
- Task 11 Months 12-18 Not Initiated
 - Optimize common acute lymphocytic leukemia antigen IHC assays
- Task 12 Months 18-20 Not Initiated
 - Optimize IHC triple-labeling experiments

PERFORMANCE ACCOMPLISHMENTS (contd)

- Task 13 Months 21-36 Not Initiated
 - Perform IHC triple-labeling assay

Specific Aim 2: (5 tasks)

- Task 1 Month 12-36 In Progress
 - Creation of primary cell cultures from fresh breast tumors.
- Task 2 Month 22-36 Not initiated
 - Growth analyses of primary cell cultures
- Task 3 Month 12-15 In Progress
 - Creation of GFP reporter plasmid (months 12-15)
- Task 4 Month 15-36 Not initiated
 - Optimization and flow separation of cells based on GFP levels
- Task 5 Month 15-36 Not initiated
- Characterization of hTERT-rich cells by growth rate, anchorage independence, DNA flow cytometry, telomere content.

KEY TRAINING/EDUCATIONAL ACCOMPLISHMENTS:

Since the activation of this award the PhD candidate has had the opportunity to work and interact with oncologists, pathologists and other Ph.D. scientists who specialize in breast cancer. This has principally through tumor board meetings, journal clubs, special seminars and direct interaction within the laboratory. He has been trained by experts that oversee the Microscopy and Flow Cytometry core facilities at the UNM Health Sciences Center. During this time, the Ph.D. candidate's research was approved by his dissertation committee, a body comprised of three Ph.D. scientists with interests in breast cancer, and one M.D. that specializes in breast cancer pathology.

On an educational level, the candidate was a co-instructor for two upper-level courses: 1) Biochemical Laboratory Methods, and 2) Intensive Biochemistry II: Intermediary metabolism. The candidate has aspirations of continuing his research and remaining in academia and felt that this provided him with the opportunity to develop the essential teaching skills needed for furthering his career. In addition, he is working closely with the co-editor of *Clinical Studies in Medicinal Biochemistry*, Dr. Robert Glew, as a co-

author of the chapter: "Gaucher's Disease, a Sphingolipidosis." He is the co-author on a submitted manuscript and is currently in the process of preparing three more papers for publication.

In the spring of 2003, he was nominated for the University-wide "Teaching Assistant of the Year" Award. The candidate will be working with other senior faculty members as a co-instructor of Intensive Biochemistry I during the fall of 2003.

REPORTABLE OUTCOMES:

Presentations: (abstracts in Appendix)

AACR special conference: "The Role of Telomeres and Telomerase in Cancer" San Francisco, Dec 7-11, 2002. "Elevated Levels of hTERT mRNA Identify Breast Tumors with Multiple Poor Prognostic Markers." William C. Hines, Colleen A. Fordyce, Nancy E Joste, Jeffrey K. Griffith

ASBMB/Experimental Biology, April 11-15 2003. "The Telomeric Binding Proteins; TRF1 and TRF2, mRNAs are Elevated in Human Breast Tumors with Reduced Telomere Content and in Tumors Displaying Genomic Instability." Kimberly Butler, William Curtis Hines, Colleen A Fordyce, Jeffrey K Griffith.

Elevated Levels of hTERT mRNA Identify Breast Tumors with Multiple Poor Prognostic Markers.

William Curtis Hines, Colleen A. Fordyce, Nancy E Joste, Jeffrey K. Griffith,

University of New Mexico Health Science Center

Background: There is large body of experimental evidence that support the role of telomeres and telomerase in facilitating carcinogenesis. As is widely known, nearly all tumors, in contrast to their corresponding normal tissues, express telomerase; the enzyme that lengthens telomeres. The purpose of these experiments was to investigate the mRNA levels of the catalytic subunit of telomerase, hTERT, and determine if these levels associated with any other known prognostic markers.

Methods: Thirty-seven tumors and their corresponding pathological information were collected. From these files, lymph node status, tumor size, DNA ploidy, and fraction of cells in S-phase were recorded. Frozen sections were stained with hematoxylin and eosin and analyzed for histopathological grade and fraction of tumor cells per section. Levels of hTERT mRNA were measured by real-time RT-PCR.

Results: Thirty-six of 37 tumors expressed detectable levels of hTERT mRNA. These levels ranged from 0.03 to 22.42 units and were greater in tumors that were large (p=0.012), mitotically active (p=0.024) and high grade (p=0.033) as determined by the wilcoxon rank sum test. There was no apparent association between and hTERT mRNA levels and the fraction of tumor cells per section. The hTERT mRNA levels were statistically higher (p=0.003) in the subset of tumors that were large, mitotically active, node positive, aneuploid and high grade.

Conclusion: Increased levels of hTERT mRNA define a subset of tumors with the most aggressive phenotypes, suggesting a potential use of hTERT mRNA as a prognostic marker or a therapeutic target in cancer. This work was supported by Army Pre-doctoral Breast Cancer Traineeship and Breast Cancer Concept Awards.


APPENDIX II


The Telomeric Binding Proteins; TRF1 and TRF2, mRNAs are Elevated in Human Breast Tumors with Reduced Telomere Content and in Tumors Displaying Genomic Instability

Kimberly Butler, William Curtis Hines, Colleen A Fordyce, Jeffrey K Griffith. Biochemistry and Molecular Biology, University of New Mexico Health Science Center, 915 Camino de Salud NE, CRTC B91, Albuquerque, NM 87131

Background: TRF1 and TRF2 are novel telomere-binding proteins that form and stabilize telomere complexes. These two proteins have been shown, in vitro, to regulate telomere length. The loss of telomeric repeats destabilizes the telomeric complex; leading to chromosomal abnormalities and gross genomic instability, a recognized facilitator of carcinogenesis. These experiments examine the associations between the levels of TRF1 and TRF2 mRNA, Telomere content, and genomic stability. Methods: TRF1 and TRF2 mRNA levels were measured by real-time RT-PCR and telomere content (TC) was measured by slot blot assay in 37 breast tumors. Results: TRF1 and TRF2 mRNA was detected in 35/37 and 37/37 tumors, respectively. The mRNA level of TRF1 and TRF2 were positively associated with each other (p=0.042). A linear correlation between TRF1 and TC exists (p=0.023). When the tumors are dichotomized by DNA content (ploidy), the aneuploid tumors display elevated levels of both TRF1 and TRF2 mRNA (p=0.054 and p=0.073). Conclusion: The association between genomic stability and tumor initiation and progression are well established. Our studies demonstrate a link between telomere binding proteins, telomere maintenance and genomic stability in human breast tumors. Supported by Army Pre-doctoral Breast Cancer Traineeship and Breast Cancer Concept Awards.

Breast Tumor in situ analyses





in situ detectection of telomerase reverse transcriptase (hTERT) mRNA. The above images display the identification of epithelial cells via IHC detection using an antibody directed against Epithelial Membrane Antigen (EMA), B. Identification of fibroblasts via IHC using an antibody directed against Vimentin, C. In situ detection of hTERT: DAPI and hTERT; D, hTERT only, E. ISH negative control, A.